



Maximum retail pricelist for bearings

* This price list supercedes all earlier pricelists



Effective from 1st November, 2013

Install confidence, install SKF!

Supplementary Designations

N	Snap ring groove in outside cylindrical surface of the outer ring.
NR	As N, but with snap ring.
RS1	Contact type rubber seal with sheet steel reinforcement, at one side of the bearing.
2RS1	RS1 seals at both sides of the bearing.
RZ	Low friction seal of synthetic rubber with sheet steel reinforcement at one side of the bearing.
2RZ	RZ seals at both sides of the bearing.
Z	Shield (non-contact type) at one side of the bearing.
2Z	Z shields at both sides of the bearing.
ZN	Z shield at one side of the bearing and snap ring groove in outer ring.
ZNR	As ZN, but with snap ring.
2ZNR	As 2ZN, but with snap ring.
TN9	Glass fibre reinforced polyamide 6,6 window-type cage.
HN3	Stands for carbonitrided bearing. Performance of standard through hardened bearings can be drastically improved by the use of a surface heat treatment called carbonitriding. Carbonitriding is a high temperature heat treatment, which involves the diffusion of carbon and nitrogen into the surface of the steel. Deep Groove Ball Bearings (DGBB) with carbonitrided inner rings have been found to be twice as resistant compared to regular hardened DGBBs.
H	Stands for radial clearance in the upper half of the same clearance bracket e.g. 6002/C3H, here clearance for C3 is between 8 to 23 micron but for C3H clearance is between 15 to 23 micron. CNL Stands for radial clearance in the lower half of the same clearance bracket e.g. 6304/CNL, here clearance for normal bearing is between 5 to 20 micron but for CNL clearance is between 5 to 14 micron.
CNP	Stands for radial clearance which is a combination of the upper half of normal (CN) and the lower half of C3 range e.g. 6305/CNP, here the clearance for normal bearing is between 5 to 20 micron and 13 to 28 micron for C3. Hence, CNP clearance will be 13 to 21 micron.
VB133	Chamfer in bore deviating from basic bearing.
VQ091	Close bore diameter tolerance.
VB524	Chamfer in bore and outer diameter deviating from basic bearing.
VQ213	Special tolerance for bearing vibration & peaks.
MTF7&9	Here MT stands for medium temperature grease and F7 & F9 gives the quantities of grease.
F7	
GJN7	Here GJN stands for high temperature grease and 7 for grease quantity.
J	Pressed steel cage.
Q	SKF TQ Line bearings come with a logarithmic contact profile that provides for optimum stress distribution over roller/raceway contacts. Special design of sliding surfaces of guide flange and large roller ends considerably promotes lubricant film formation at roller end/flange contacts. Resulting benefits include increased operational reliability and reduced sensitivity to misalignment.

Internal Clearance

The bearing internal clearance is defined as the total distance through which one bearing ring can be moved relative to the other under zero measuring load. Movement in the radial direction is called radial internal clearance; axial movement, axial internal clearance. The internal clearance is standardized.

Rolling bearings are delivered with different internal clearance. The internal clearance will vary from bearing type to bearing type. The most common clearance is NORMAL (with no suffix).

- C1 = Bearing internal clearance smaller than C2
- C2 = Bearing internal clearance smaller than normal
- C3 = Bearing internal clearance greater than normal
- C4 = Bearing internal clearance greater than C3
- C5 = Bearing internal clearance greater than C4

Why internal clearance ?

1. In order to fit a bearing tightly on a shaft it is necessary that the shaft is slightly larger than the bore of the inner ring. When the bearing is mounted, the inner ring will be expanded and consequently the space available for the rolling elements will be reduced. The reduction in space available for rolling elements when the bearing is mounted is accommodated by internal clearance
2. Steel will expand with increased temperature. In operation the temperature of the various parts of a bearing will not remain uniform and resulting in varying degrees of expansion, which is compensated by the internal clearance. The internal clearance required is dependent upon the mounting fit and the operating conditions. In case of doubt a bearing with greater clearance shall always be selected.

For more details/information, write to :
Marketing Department, Vehicle Service Market,
SKF India Limited, Chinchwad Pune 411 033
Phone : +91 20 66112500 Fax : +91 20 66112440
Helpline : 1800 222 007 (Toll Free from MTNL/BSNL landlines)
or 022 6633 7777 (normal STD charges apply)
Website : www.skfindia.com

This edition of Maximum Retail price of SKF products are as on 1st November 2013. For latest information please contact your nearest Authorized Stockist. (Please visit our website to locate a stockist near you.) M.R.P. given in this list are recommended prices, retailers/stockists are free to sell below the M.R.P.

The contents of this publication are the copyright of the publisher and must not be reproduced (even extracts) unless permission is granted. Every care has been taken to ensure the accuracy of the information contained in this publication but no liability for any loss or damage whether direct, indirect or consequential arising out of the use of the information contained herein.




Designation	MRP (₹)	Designation	MRP (₹)	Designation	MRP (₹)	Designation	MRP (₹)
Deep Groove Ball Bearings		6000/C3	117	6006-2RS1	288	6203-2RS1	164
		6000/C3D8VG043	117	6006-2Z	275	6203-2RS1/C3	164
1838001	236	6000-2RS1	158	6006-2Z/C3	275	6203-2Z	149
1838001/C3	236	6000-2RS1/C3	158	6006-RS1/C3	259	6203-2Z/C3	149
1838001/HN3C3	236	6000-2Z	130	6006-Z	256	6203-RS1	145
1838001/C4	236	6000-2Z/C3	130			6203-RS1/C3	145
1838002	248	6000-Z	124	6007/C3	255	6203-Z	138
1838002/C3	248	6000-Z/C3	124	6007-2RS1	325	6203-Z/C3	138
				6007-2RS1/C3	325		
608-2Z	91	6001/C3	114	6007-2Z	319	6204 N	181
		6001-2RS1	167	6007-RS1	291	6204/C3	181
		6001-2RS1/C3	167	6007-RS1/C3	291	6204-2RS1	235
6000	117	6001-2Z	129			6204-2RS1/C3	235
6001	114	6001-2Z/C3	129	6010/C3	564	6204-2RS1N	236
6002	129	6001-RS1/C3	145	6010-2RS1	630	6204-2RZ	235
6003	152	6001-Z	125	6010-2Z	616	6204-2RZ/C3	235
6004	168	6001-Z/C3	125			6204-2RZN/C3	235
6005	188			6014	2489	6204-2Z	212
6006	241	6002/C3	129	613963/C3	161	6204-2Z/C3	212
6007	255	6002-2RS1	177	61805	658	6204-RS1	209
6010	564	6002-2Z	155	61902/C3	198	6204-RS1/C3	209
		6002-2Z/C3	155	61902-2Z	198	6204-Z	198
6200	108	6002-RS1	163	61902-Z/C3	198	6204-Z/C3	198
6201	91	6002-Z	141	61905	212	6204-Z/HN3C3	198
6202	101	6002-Z/C3	141	61905/C3	212		
6203	125					6205 NR/C3	247
6204	181	6003/C3	152	6200/C3	108	6205/C3	243
6205	243	6003-2RS1	201	6200-2RS1	153	6205/HN3	247
6206	363	6003-2Z	174	6200-2RS1/C3	153	6205-2RS1	305
6207	358	6003-2Z/C3	174	6200-2Z	133	6205-2RS1/C3	305
6208	431	6003-RS1	159	6200-2Z/C3	133	6205-2RZ	290
6209	520	6003-RS1/C3	159	6200-RS1	138	6205-2RZ/C3	290
6210	547	6003-Z	164	6200-Z	120	6205-2Z	280
6211	716	6003-Z/C3	164	6200-Z/C3	120	6205-2Z/C3	280
6212	815			6201/C3	91	6205-RS1	275
6213	893	6004/C3	168	6201-2RS1	131	6205-RS1/C3	275
		6004/HN3	193	6201-2RS1/C3	131	6205-Z	261
6300	151	6004-2RS1	217	6201-2Z	111	6205-Z/C3	261
6301	94	6004-2RS1/C3	217	6201-2Z/C3	111		
6302	186	6004-2Z	193	6201-RS1	110	6206 N	363
6303	213	6004-2Z/C3	193	6201-RS1/C3	110	6206 N/C3	363
6304	182	6004-RS1	195	6201-Z	103	6206 NR/C3	363
6305	271	6004-RS1/C3	195	6201-Z/C3	103	6206 TN9/C3VQ488	368
6306	380	6004-Z	179			6206/C3	363
6307	442	6004-Z/C3	179	6202/C3	101	6206-2RS1	416
6308	647			6202-2RS1	141	6206-2RS1/C3	416
6309	1058	6005/C3	188	6202-2RS1/C3	141	6206-2Z	411
6310	1066	6005-2RS1	238	6202-2RSH/C3	141	6206-2Z/C3	411
6311	1565	6005-2RS1/C3	238	6202-2Z	123	6206-RS1	393
6312	1849	6005-2Z	215	6202-2Z/C3	123	6206-RS1/C3	393
6313	2117	6005-2Z/C3	215	6202-2Z/MT33F9	123	6206-RZ/C3	372
		6005-RS1	210	6202-RS1	126	6206-Z	384
16007	255	6005-RS1/C3	210	6202-RS1/C3	126	6206-Z/C3	384
16007/C3	255	6005-Z	203	6202-Z	113		
		6005-Z/C3	203	6202-Z/C3	113	6207 NR	358
16008	350					6207 NR/C3	358
		6006/C3	241	6203/C3	125	6207/C3	358
1888451	976	6006/D8	241			6207-2RS1	424

Designation	MRP (₹)	Designation	MRP (₹)	Designation	MRP (₹)	Designation	MRP (₹)
6207-2RS1/C3	424	628/D8	113	6304-Z	213	6309 NR/C3	1097
6207-Z	403	628-Z	117	6304-ZZ/C3	213	6309/C3	1058
6207-ZZ/C3	403	629	92	6304-RS1	213	6309-2RS1	1151
6207-RS1	384	629-2RS1	115	6304-RS1/C3	213	6309-2RS1/C3	1151
6207-Z	382	629-Z	98	6304-Z	202	6309-Z	1130
6207-Z/C3	382	629-ZZ/C3	98	6304-Z/C3	202	6309-ZZ/C3	1130
6208 N	439	63/28	496	6305 N	273	6309-RS1	1105
6208 N/C3	439	63/28/C3	496	6305 N/C3	273	6309-RS1/C3	1105
6208 NR	454	63/28/C3HN3	496	6305/C3	271	6309-Z	1097
6208 NR/C3	454	6300/C3	151	6305-2RS1	322	6309-Z/C3	1097
6208/C3	431	6300-2RS1	224	6305-2RS1/C3	322	6309-ZN	1097
6208-2RS1	505	6300-2RS1/C3	219	6305-Z	304	6310 N	1072
6208-Z	482	6300-Z	169	6305-ZZ/C3	304	6310 N/C3	1072
6208-ZZ/C3	482	6300-ZZ/C3	169	6305-RS1	299	6310 NR	1105
6208-RS1	472	6300-Z	161	6305-Z	286	6310 NR/C3	1105
6208-RZ/C3	484	6300-Z/C3	161	6305-Z/C3	286	6310/C3	1066
6208-Z	460	63006-2RS1/C4500HT	410	6306 N	381	6310-2RS1	1175
6208-Z/C3	460	6301/C3	94	6306 N/C3	381	6310-2RS1/C3	1175
6209 K	522	6301-2RS1	122	6306 NR	392	6310-Z	1143
6209 NR	571	6301-2RS1/C3	122	6306/C3	380	6310-ZZ/C3	1143
6209/C3	520	6301-Z	112	6306-2RS1	436	6311/C3	1565
6209-2RS1	590	6301-ZZ/C3	112	6306-2RS1/C3	436	6311-2RS1	1593
6209-2RS1/C3	590	6301-RS1	112	6306-Z	411	6311-Z	1657
6209-Z	578	6301-RS1/C3	112	6306-ZZ/C3	411	6311-ZZ/C3	1657
6209-ZZ/C3	578	6301-Z	107	6306-Z	396	6311-Z	1613
6209-Z	547	6301-Z/C3	107	6306-Z/C3	396	6311-Z/C3	1613
6209-Z/C3	547	6302/C3	186	6307 N	443	6312/C3	1849
6210 K	560	6302-2RS1	230	6307 N/C3	443	6312-2RS1	1967
6210 N	550	6302-2RS1/C3	230	6307 NR	460	6312-2RS1/C3	1967
6210 N/C3	550	6302-Z	203	6307 NR/C3	460	6312-Z	1939
6210 NR	574	6302-ZZ/C3	203	6307/C3	442	6312-ZZ/C3	1939
6210/C3	547	6302-RS1	207	6307-2RS1	625	6312-RS1/C3	1940
6210-2RS1	728	6302-RS1/C3	207	6307-2RS1NR/C3	636	6312-Z	1898
6210-Z	611	6302-Z	196	6307-Z	474	6312-Z/C3	1898
6210-ZZ/C3	611	6302-Z/C3	196	6307-ZZ/C3	474	6313/C3	2117
6210-Z	581	6303 N	213	6307-Z	457	6313-2RS1	2238
6210-Z/C3	581	6303/C3	213	6307-Z/C3	457	6313-2RS1/C3	2238
6211/C3	716	6303-2RS1	265	6308 N	652	6313-Z	2211
6211-Z	780	6303-2RS1/C3	265	6308 N/C3	652	6313-ZZ/C3	2211
6211-ZZ/C3	780	6303-Z	228	6308 NR	672	6313-ZZNR	2258
6211-RS1	763	6303-ZZ/C3	241	6308 NR/C3	672	6313-RS1/C3HTVT193	2132
6211-Z	752	6303-RS1	240	6308/C3	647	6313-Z	2165
6212/C3	815	6303-RS1/C3	240	6308-2RZNR/C3	723	6313-Z/C3	2165
6212-2RS1	942	6303-Z	228	6308-Z	706	6315/C3	2917
6212-2RS1/C3	942	6303-ZZ/C3	228	6308-ZZ/C3	706	98206/C3L	367
6212-Z	923	6304 N	194	6308-Z	677	BB1-0016 A	234
6212-ZZ/C3	923	6304 N/C3	194	6308-Z/C3	677	BB1-0037 CE (6203)	174
6212-Z/C3	912	6304/C3	182	6308-ZN	680	BB1-0078	364
6213/C3	893	6304/HN3	194	6308-ZN/C3	680	BB1-0097 (6201)	131
6213-Z	938	6304-2RS1	233	6308-ZNR	702	BB1-0234 (6205)	207
6213-ZZ/C3	938	6304-2RS1/C3	233	6309 N	1064	BB1-0287 C (6202)	222
				6309 N/C3	1064		
				6309 NR	1097		

Designation	MRP (₹)	Designation	MRP (₹)	Designation	MRP (₹)	Designation	MRP (₹)
BB1-0287 E (6202)	222	BB1B 630819 A (6304)	283	31307 J2/QCLN	830	395/394 A/Q	1120
BB1-0322 C (6202)	118	BB1B 630819 A/HN3 (6304)	283	31308 J2/QCL7C	2216	39580/W/2/39520/2/Q	1713
BB1-0331 (6301)	162	BB1B 631046 B	369	31309 J2/QCLN	1134	39581/39520/Q	1713
BB1-0372 AB (6202)	137			31310 J2/Q	1305	39581/2/39520/2/Q	1713
BB1-0372 AE (6202)	1937			31312 J2/Q	2148	39590/39520/Q	1257
BB1-0382 A (6202)	148	QJ 209 MA/C2	1122				
BB1-0390 A (6200)	150	QJ 309/C2	1148	31594/2/31520/2	821	3982/3920/2/Q	1409
BB1-0420 A (6002)	123					3984/2/3920/2/Q	1296
BB1-0434 (6303)	206	306445 C	763	320/32 X/Q	388		
BB1-0434 A (6303)	206			32004 X/Q	383	39585/39520/Q	1128
BB1-0563 (6205)	236	Taper Roller Bearings		32006 X/Q	381		
BB1-0596 (62/22)	195	02872/2/02820/2/Q	645	32007 X/Q	478	399 A/394A/QVB079	1067
BB1-0633 A (6303)	323			32008 X/Q	532	3994/JM511910/Q	1304
BB1-0633 AB (6303)	233	09067/09195/Q	446	32012 X	973		
BB1-3040 A (BB1-3040)	384	11590/11520	384	32012 X/QCL7C	973	418/414/Q	785
BB1-3065 DC (BB1-3065 CE)	272	15123/15245/Q	441	32012 X/QVB531	973		
BB1-3065 EA (6303)	272	1888400/Q (565/562 X)	1785	32013 X	1033	42687/42620	1400
BB1-3150 (6006)	283	1988/1922/Q	413	32013 X/QVB533	1033	42690/42620/Q	1672
BB1-3169 (6308/VE250)	773	24780/24720/Q	706	32014 X/Q	1207		
BB1-3191 (BB1-3191)	442	25572/25520/Q	721	32020 X/Q	2031	462/453 X	1131
BB1-3191/C3 (BB1-3191)	442	25577/2/25523/2/Q	734	32205 BJ2/Q	384	462/453 X/VB535	1131
BB1-3191/HN3 (BB1-3191)	428	25590/2/25520/2/Q	797	32207 J2/Q	623		
BB1-3250/3752	220	25590/2/25523/2/Q	797	32210 J2/Q	829	47487/47420 X	1360
BB1-3260	287	25877/2/25821/2/Q	636	32211 J2/Q	767	47890/47820/Q	2246
BB1-3264 (6305)	780	2789/2729/Q	658	32212 J2/Q (330201/Q)	1320		
BB1-3264 A (6305)	422	28580/2/28521/2/Q	790	32214 J2/Q	1546	482/472/Q	1287
BB1-3273 (6308 E)	1005	30203 J2/Q	278	32216 J2/Q	2040	497/492 A/Q	2440
BB1-3273 A (6308 E)	923	30204 J2/Q	310	32217 J2/Q	2825		
BB1-3274	431	30205 J2/Q	329	32218 J2/Q	4051	535/532 A	1298
BB1-3275 (6307 E)	892	30206 J2/Q	437			539/532 X	1061
BB1-3284 (6206)	569	30207 J2/Q	475	32307 J2/Q	901		
BB1-3358 (6213)	1484	30208 J2/Q	741	32308 J2/Q	879	566/563/Q	1344
BB1-3374 (6308/VE250)	519	30209 J2/Q	547	32309 J2/Q	1117		
BB1-3459 (6306 E)	451	30210 J2/Q	583			567/563	1358
BB1-4700 A (61804)	134	30211 J2/Q	992	32911/Q	974	580/572/Q	1489
BB1-4701 (6302)	324	30214 J2/Q	1311				
BB1-4702 A (6302)	207	30215 J2/QCLN	1395	33005/Q	417		
BB1-4704 (6203)	195			33010/Q	872	72212/2/72487/2/Q	1335
BB1-4705 B (6305 E)	291	30302 J2/Q	313	33019/Q	2309		
BB1-4712 (6004)	179	30302 J2/QVB475	313	330201/Q	1320	30208	741
BB1-4714 (6004)	163	30302/Q VB475	313	330356 B/Q	1611		
BB1-4718	129	30305 C	462	330632 C/Q	2148	32207	623
BB1-4719	313	30306 J2/QCLN	543			32210	829
BB1-4721 (6003)	147	30308 J2/Q	767	33111/QVB500	1055	32211	767
BB1-4722 (6203)	147	30309 J2/Q	1074	33215/Q	2135	32213 J2/Q	1611
BB1-4728 (6206)	290	30312 J2/Q	1972			32214	1546
BB1-4730	130	30312 J2/QCLN	1395	34306/34478/Q	2064	32308	879
BB1B 420204	231			344/332/Q	692		
BB1B 420205	256	30302 J2/Q	313	3585/3525/Q	1073	331257	1068
BB1B 420206	375	30302/Q VB475	313				
BB1-446740 CD (6007)	513	30305 C	462	369 S/2/362A/2/Q	913	1888180	1017
		30306 J2/QCLN	543			1888400/Q	1785
		30308 J2/Q	767	3780/3720/Q	1194		
		30309 J2/Q	1074			6379/K-6320/Q	2385
		30312 J2/Q	1972	387/382 A/Q	931		
		30312 J2/QVB018	1972			683/672/Q	2684
				395 S/394 A/Q	928		

Designation	MRP (₹)	Designation	MRP (₹)	Designation	MRP (₹)	Designation	MRP (₹)
BT1-0017 A/Q	339	M 12649/610/Q	433	BT1-0553A/VU1006 (32220)	4434	Taper Hub Units	
BT1-0230/Q	2359	M 802048/011/Q	1032			BTH-1024 AE	1691
BT1-0381/Q	977	M 86649/2/610/2/Q	682	Hub Units			
BT1-0500/Q	2472	Imported Taper Roller Bearings		BAH-0013 D	1240	BTH-1206 AB	1867
BT1-0501/Q	1910	BT1-0523/VU1006 (30307)	758	BAH-0031	1070	BTH-1238	1304
BT1-0702/Q	1194	BT1-0524/VU1006 (32208)	626	BAH-0031 D	789		
BT1B 329013 A/Q	427	BT1-0525/VU1006 (32209)	665	BAH-0036	1003		
683/672/Q	2684	BT1-0526/VU1006 (30210)	611	BAH-0052	848		
HM 903249/2/Q	413	BT1-0528A/VU1006 (30216)	1555	BAH-0052 C	958		
HM 903249/2/210/2/Q	1245	BT1-0530/VU1006 (32219)	3380	BAH-0087	742		
JLM 710949/910/Q	1014	BT1-0545A/VU1006 (30212)	931	BAH-0104	830		
JM 511946/910/Q	1052			BAH-0109 B	983		
LM 11949/ 910/Q	402			BAH-0179	887		
LM 29749 F/711/Q	449			BAH-0221	657		
LM 48548/510/Q	380			BAH-0229	930		
LM 501349/310/Q	547			BAH-0230	848		
LM 603049/011	683			BAHB-636193 C	1050		
LM 603049/012/Q	514			BAHB-636149 CC	1322		
				BAHB-636149 CD	1155		




Deep Groove Ball Bearings



Taper Roller Bearings



Centre Support Bearings



Hub Bearing Units



Timing Belts



Universal Joint Kits




Disc Brake Pads



SKF Grease




Engine/Wheel Bearing Kits



Steering Race Kits



SKF Premium Grease



Seals

Marketing Department
 Vehicle Service Market
 SKF India Limited
 Chinchwad, Pune – 411 033.

Install confidence, install SKF!

